

SHORTENED FULL-HEIGHT TURNSTILE *CYCLONE*

The shortened version of Full Height Turnstiles this is an unusual but effective way to protect your territory. Due to its design, the turnstile gives an impression of light but solid terminal perfectly fitting public areas that require reliable, but at the same time elegantly controlled access to the premises.



 **20**
pers/min
CROSSING CAPACITY

 **550**
mm
PASSAGE WIDTH

IS A GREAT CHOICE FOR A BUDGET AND TASTE TO BE EMBODIED

IN ONE ITEM FOR ITS STRONG MECHANISM AND NICE BODY

Controlled by:

- access control system;
- manual control

When power goes OFF both directions are closed

To be delivered additionally:



- manual unlocking in case of unavailable power;
- readers for access control system;
- remote radio controller;
- backup battery 12 V, 7 Ah;

Electrical specifications:

- Voltage:
 - from the AC (100-240)V, 50/60Hz;
 - from s DC source 12 V
- Maximum power consumption 350 W per pass;
- Degree of protection according to GOST 14254-96 - IP41

Technical specifications:

Technical specifications:	
Length	1560 mm
Width	1438 mm
Height	1300 mm
Weight, not more	250 kg



Legend:

- 1 - container;
- 2 - enclosure wall;
- 3 - frame;
- 4 - rotor with U-shaped rods;
- 5 - LED display;
- 6 - counter of passers

