

CP-A308

Card Catalloge





Card Catalogue



● Size	1500*120*980mm (can be customized)
● Material	2.0 mm SUS 304 stainless steel +white marble
● Arm material	10mm Acrylic
● Pass Width	standard 600mm max 1200mm Door height: 1500mm max in 900mm width
● Passage direction	Single directional/Bi-directional
● Pass rate	30-35 persons/minute
● Operating time	0.2 seconds
● Power input	AC100-240V,50/60HZ
● Working voltage	24V
● Working humidity	30%~95%
● Working temperature	-40℃~+70℃
● Working environment	indoor
● Input interface	RS485, Dry Contact Relay
● Mechanism	Servo motor
● Infrared sensor	6 pairs
● MCBF	3,000,000 Cycles
● Feature	LED can be added on arms
● Application	Office Building, Hotels, Government Halls, etc

Dimension of Turnstile




Product description

Speed gate is developed for high-end users, with safe and efficient, intelligent use, high-quality, sturdy and durable. It collect industry experience and wisdom of all employees in one for many years, providing users with a complete product solution and quickly create high-quality channel products. We adhere to the customer as the center, we adhere carefully to provide users with high-quality products.

The 6 pairs of sensors got signal which real-time processing and analyzing a person or object for a variety of action, according to the results of analysis are to accurately control the action of machine core, indicator and alarm etc.

With the LCD screen and buttons consist of human-machine interface, the users can quickly and easily query and set channel parameters, no longer totally dependent on the host computer or extremely unfriendly pure key board to query and set parameters. With Highend servo motor with high power, which can make wide and high door for some special requirement. Sleek design speed gate are designed to enhance security and optimize manpower at your entrance points. These systems will provide you with efficient and elegant control of individual access to your premises. They are straightforward to install, easy to understand as impel to maintain. The products can be widely applied to the following usages, such as industrial enterprises, living garden, building offices, shops, museums, security installations, prisons, nuclear power plants airport, railways, seaports, exhibition centers, ski resorts, fitness, and other fields.

Access Control System



Feature

SERVO MECHANISM

With this servo motor, it can make a wide and high door passage. It is more convenient for luggage, ADA, or some special application.

SAFETY FIRST

In the fire or emergency, power off the gate, the door can be free to open and ensure unimpeded.

TWO WORKING MODES

NC and NO, which is easy to deal with peak and normal use.

MULTIPLE CONTROL MODES

There are unidirectional, bi-directional, free passage and authorization passage to meet fully the users' needs, which consist of nine control modes.

PRECISE POSITIONING

Precise positioning by photoelectric sensors, the work cycle of door is regular and precise positioning to ensure correct position after long work.

LED INDICATOR

The indicator is able to show three status of front and back indicator (allow through, no through, system maintenance). Also which show the passage direction and passage status (A to pass, B to pass, no through). According to reasonable indicator control, which is convenient for users to management.

MACHINE CORE CONTROL

The two sides machine core work with coordination and synchronization, and the control system provide convenient management functions. The passage controller can control the machine core of all functions and settings of all parameters, which is reasonable for consisting of the various components of the machine core operation flow, and which is more intelligent and safety to design a access control function;

LCD DISPLAY CONTROLLER

The display can be set in English. It is more easy to set the parameter of the gate for overseas projects.

ANTI-INTRUSION

The gate will auto alarm and red light will flash when unauthorized person gets in.

HIGH PERFORMANCE

Long service life and high performance, functionality.

Wiring diagram

